

Aqara ZigBee Sensors

- [WSDCGQ11LM - Temperature and Humidity Sensor](#)
- [WSDCGQ11LM - Wireless Mini Switch](#)
- [WXKG03LM - Wireless Remote Switch \(Single Rocker\)](#)

WSDCGQ11LM - Temperature and Humidity Sensor

Sensor



Model

WSDCGQ11LM

Battery

CR2032

Wireless Protocol

Zigbee

Dimensions

36 × 36 × 9 mm (1.42 × 1.42 × 0.35 in.)

Temperature Range and Precision

-20°C~+50°C, ±0.3°C (-4°F~+122°F, ±0.5°F)

Humidity Range and Precision

0 – 100% RH (non-condensing), $\pm 3\%$

Atmospheric Pressure Range and Precision

30 kPa – 110 kPa, ± 0.12 kPa

Documentation

- User Manual: [Aqara Temperature and Humidity Sensor.pdf](#)

WSDCGQ11LM - Wireless Mini Switch

Sensor



Model

WXKG11LM

Battery

CR2032

Wireless Protocol

Zigbee

Dimensions

45 × 45 × 12 mm (1.77 × 1.77 × 0.47 in.)

Operating Temperature

-10°C~+50°C

Operating Humidity

0 - 95% RH (non-condensing)

Documentation

- User Manual: [Aqara Wireless Mini Switch Quick Start Guide.pdf](#)

WXKG03LM - Wireless Remote Switch (Single Rocker)

Sensor



Model

WXKG03LM

Battery

CR2032

Wireless Protocol

Zigbee

Dimensions

86 × 86 × 15.2 mm (3.39 × 3.39 × 0.60 in.)

Operating Temperature

-5°C~+50°C

Operating Humidity

5 – 95% RH (non-condensing)

Documentation

- User Manual: [Wireless Remote Switch \(Single Rocker\) Quick Start Guide.pdf](#)